



Installation Of Suspended Ceiling




Installation of Small Suspended Ceiling

1. Draw the installation guideline to determine the center distance of metal suspender, which is generally 1200mm.
2. Fix the side keels on the walls around the suspended ceiling with tapping screws.
3. Use metal suspender to fix the T type main keel, the center distance of which should be 600mm or 610mm
4. Insert the T type sub-keels into the main keel and fix it. The space between every two sub-keels is 600mm or 610mm
5. Place ZJGLEADER board (595*595mm/603*603mm/600*1200mm) on the T type keel frame.

Installation of Large Suspended Ceiling

1. Carry out setting out to determine the mounting position of suspended ceiling. The center distance of the suspenders is generally 1200mm.
2. Connect and fix the suspender and main keel with the hanger to keep the main keel in level position.
3. Vertically fix the sub-keels onto the main keel with the hanger; the center distance of the sub-keel axis is 612mm.
4. Install as required the horizontal keels, the center distance of which should be 1224mm.
5. Fix the boards onto sub-keels with tapping screws, and handle well the joints.





T-bar

T-Bar from galvanized steel sheet and color coated steel roll-forming. T-Bar can be processed into the ceiling based on a variety of different size specifications. A handsome, high strength, anti-corrosion, water features, high quality alternative to T-aluminum keel. T-Bar divided into two series, including Metric, two British specifications.


AE-32H

	H	W	L
MAIN TEE	32	24	3600 / 3660
LONG CROSS TEE	26	24	1200 / 1220
SHORT CROSS TEE	26	24	600 / 610
WALL ANGLE	22	22	3000 / 3050



AE-15T


	H	W	L
MAIN TEE	32	15	3600 / 3050
LONG CROSS TEE	32	15	1200 / 1220
SHORT CROSS TEE	32	15	600 / 610
WALL ANGLE	22	19	3000 / 3050



SUSPENSION GRIDS

THE 3D BLACK GROOVE SERIES


BG-42H



	H	W	L
MAIN TEE	42	15	3600 / 3660
LONG CROSS TEE	42	15	1200 / 1220
SHORT CROSS TEE	42	15	600 / 610
WALL ANGLE	22	19	3000 / 3050



BG-35H




	H	W	L
MAIN TEE	35	15	3600 / 3660
LONG CROSS TEE	35	15	1200 / 1220
SHORT CROSS TEE	35	15	600 / 610
WALL ANGLE	22	19	3000 / 3050



THE FLAT GROOVE SERIES


FG-28H



	H	W	L
MAIN TEE	28	24	3600 / 3660
LONG CROSS TEE	28	24	1200 / 1220
SHORT CROSS TEE	28	24	600 / 610
WALL ANGLE	22	22	3000 / 3050



FG-15T




	H	W	L
MAIN TEE	32	15	3600 / 3660
LONG CROSS TEE	26	15	1200 / 1220
SHORT CROSS TEE	26	15	600 / 610
WALL ANGLE	22	19	3000 / 3050



SUSPENSION GRIDS

THE FUT SERIES


FUT-38H (DARK WOOD)



	H	W	L
MAIN TEE	38	24	3600 / 3660
LONG CROSS TEE	38	24	1200 / 1220
SHORT CROSS TEE	38	24	600 / 610
WALL ANGLE	22	22	3000 / 3050




FUT-38H (LIGHT WOOD)




	H	W	L
MAIN TEE	38	24	3600 / 3660
LONG CROSS TEE	38	24	1200 / 1220
SHORT CROSS TEE	38	24	600 / 610
WALL ANGLE	22	22	3000 / 3050




FUT-32H (WHITE INTERIOR)




	H	W	L
MAIN TEE	32	24	3600 / 3660
LONG CROSS TEE	32	24	1200 / 1220
SHORT CROSS TEE	32	24	600 / 610
WALL ANGLE	22	22	3000 / 3050



FUT-32H (GOLDEN INTERIOR)



	H	W	L
MAIN TEE	32	24	3600 / 3660
LONG CROSS TEE	32	24	1200 / 1220
SHORT CROSS TEE	32	24	600 / 610
WALL ANGLE	22	22	3000 / 3050



SUSPENSION GRIDS

THE T GRID SERIES

FL-38H&26H

	H	W	L
MAIN TEE	38	24	3600 / 3660
LONG CROSS TEE	26	24	1200 / 1220
SHORT CROSS TEE	26	24	600 / 610
WALL ANGLE	22	22	3000 / 3050



FL-15T

	H	W	L
MAIN TEE	32	15	3600 / 3660
LONG CROSS TEE	26	15	1200 / 1220
SHORT CROSS TEE	26	15	600 / 610
WALL ANGLE	22	19	3000 / 3050



FL-32H&24H

	H	W	L
MAIN TEE	32	24	3600 / 3660
LONG CROSS TEE	24	24	1200 / 1220
SHORT CROSS TEE	24	24	600 / 610
WALL ANGLE	22	22	3000 / 3050



FL-15H 平面

	H	W	L
MAIN TEE	32	15	3600 / 3660
LONG CROSS TEE	26	15	1200 / 1220
SHORT CROSS TEE	26	15	600 / 610
WALL ANGLE	22	19	3000 / 3050



ACCESSORIES

CEILING TILES




WHITE

H	W
30	30
45	45
60	60




CROSS

H	W
30	30
45	45
60	60



CHEESE

H	W
30	30
45	45
60	60



INCLINED

H	W
30	30
45	45
60	60



CIRCLES

H	W
30	30
45	45
60	60



LINES

H	W
30	30
45	45
60	60




LOUVER

H	W
30	120
45	120
60	120


DRYWALL SYSTEM

STUD



H	W	L
60	40	3000/4000/6000
75	35	3000/4000/6000
100	35	3000/4000/6000


TRACK



H	W	L
60	25	3000/4000/6000
75	25	3000/4000/6000
100	30	3000/4000/6000


CEILING SYSTEM

CHANEL



H	W	L
59	19	3000
38	12	3000

OMEGA




H	W	L
35	22	3000/4000/6000

WALL ANGLE



H	W	L
25	25	3000/4000/6000

CORNER HEAD



H	W	L
35	30	3000/4000/6000